

Certification of Materials

SCAFCO hereby certifies that all light gauge steel framing products manufactured by SCAFCO are compliant with all applicable standards and codes as listed below:

Code Approvals

- IAPMO ER-0313
- ICC ESR-3064P
- IAPMO ER-0283
- IAPMO ER-0342
- UL ER3660-02

Design Specifications / Manuals

- North American Specification for the Design of Cold-Formed Steel Structural Members, NASPEC 2007 Edition S100-07 (Supplement S2-10 for IBC 2012)
- Gypsum Association Fire Resistance Design Manual

Material / Product Specification

Nonstructural (Drywall) Products:

18-30 mil: 33 ksi
D25: 50 ksi
D20, 30EQD, 33EQD: 57 ksi.....ASTM A1003, C645

Structural Framing Products:

33-43 mil: 33ksi
33EQS, 43EQS: 57 ksi
54-127 mil: 57 ksi.....ASTM A1003, C955

Coating Specification

Nonstructural (Drywall) Products:

D25, D20, 30EQD, 18-30 mil: G40
33EQD: G60.....ASTM A653, C645

*D25, 18, and D20 available in G60 for Hawaii

Structural Framing Products

33EQS, 43EQS, 33-54 mil: G60
68-127 mil: G90.....ASTM A653, C955

Recycled Content – LEED



SCAFCO materials have a high inherent recycled content of steel, and can be used in achieving Leadership in Energy and Environmental Design (LEED) certification.

American Society for Testing and Materials (ASTM)

- **A653**
Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated by the Hot-Dip Process
- **A924**
Standard Specification for General Requirements for Steel Sheet, Metallic-Coated by the Hot-Dip Process
- **A1003**
Standard Specification for Steel Sheet, Carbon, Metallic-Coated for Cold-Formed Framing Members
- **C645**
Standard Specification for Nonstructural Steel Framing Members
- **C754***
Standard Specification for Installation of Steel Framing Members to Receive Screw-Attached Gypsum Panel Products
- **C955**
Standard Specification for Load-Bearing (Transverse and Axial) Steel Studs, Runners (Tracks), and Bracing or Bridging for Screw Application of Gypsum Panel Products and Metal Plaster Bases
- **C1007***
Standard Specification for Installation of Load Bearing (Transverse and Axial) Steel Studs and Related Accessories
- **E72**
Standard Test Methods of Conducting Strength Tests of Panels for Building Construction
- **E90**
Standard Test Method for Laboratory Measurement of Airborne Sound Transmission Loss of Building Partitions and Elements
- **E119**
Standard Test Methods for Fire Tests of Building Construction and Materials

For referenced ASTM standards, visit the ASTM website at www.astm.org, or contact ASTM Customer Service at service@astm.org.

* SCAFCO Recommended Installation Methods

For more information, contact SCAFCO at 509-789-8669 or Technical@SCAFCO.com.